

DATE: 10 June 2024

**INVITATION TO BID NO. [MAP/MAUK/24/5305-21](#)**

**Bids Required for Construction/Rehabilitation of existing Water Structures**  
**District Loralai Balochistan**

---

CLOSING DATE AND TIME: [Tuesday 25 June 2024 03:00 PM](#)

LOT # 1 (District Loralai)			
S#	Name of activity	Quantity (No)	Location
1	Construction/Rehabilitation of Existing Water Structures	15	Loralai Balochistan

**1. GENERAL INFORMATION**

The Office of the Muslim Aid (MAP) Islamabad invites -bids from qualified, Contractors/ vendors/suppliers / Authorized Dealers, duly registered with the government of the Islamic Republic of Pakistan and Pakistan Engineering Council to submit a firm offer for the "Construction/Rehabilitation Drinking Water Supply Schemes 4# in District Chitral Upper (Delivery / Construction/Rehabilitation of 04 #DWSS schemes locations are annexure B) Chitral lower. The construction firm offers from the successful bidders would form the basis for an award of a contract.

**2. BIDDING DOCUMENTS**

The following annexes form an integral part of this invitation to Bid:

Annex A: Detailed Specification of RFQ / Drawings / Design

Annex B: Locations Construction/Rehabilitation Drinking Water Supply Schemes 04 Nos

Annex C: General Terms and Conditions for Purchase/supply of Goods

Annex D: Vendor Registration Form and Instruction for completion of bid

---

**SECTION I: BIDDING INFORMATION**

---

**a) ACKNOWLEDGMENT**

Bidders are requested to confirm the receipt of this [ITB](#) and send the expression of their intention to participate to the addresses (courier) provided in the "SUBMISSION OF BIDS" section of this ITB.

**b) QUERIES**

- i) Bidders are required to submit all their **inquiries in respect of this Invitation to bid by e-mail to [procurement@muslimaid.org.pk](mailto:procurement@muslimaid.org.pk) by Tuesday 25 June 2024: 03:00 p.m.** MUSLIM AID may, at its discretion, copy any reply to a particular question to all other invited Bidders.

**IMPORTANT:** The inclusion of copies of your offer with any correspondence sent directly to the attention of the responsible buyer will result in disqualification of the offer. Please send your offer directly to the address provided in the "SUBMISSION OF BIDS" section of this ITB.

**c) YOUR OFFER**

Please submit your offer using the submission templates provided. It should conform to the following requirements and contain all information required. The offers not conforming to the requested format will not be taken into consideration for evaluation. Your offer should clearly include the following information:

**DELIVERY TIME:** All items must be delivered to the specified locations as per the schedule given in Annex C possible after placement of the contract

- **OFFERS** can be made for part of the requirement as listed in the attached **Annex-A**,
- **COST:** The cost should include the Construction/Rehabilitation of Existing Water Structure **15 No's site the list of sites is Annexure B** including(all Transportation and Tax included, the quoted amount will be applicable with all taxes as per government laws).
- **CURRENCY:** Your proposal must be prepared in a single currency, PAK Rupees.
- **LANGUAGE:** Bids shall be prepared in English.
- **INSPECTION:** All civil construction work Specifications are subject to inspection and will be advised at the time of delivery. The selected contractor/ Supplier will inform MUSLIM AID when the civil construction work / Supplies will be ready for inspection. The inspection will be arranged by MUSLIM AID. Please note that inspection charges resulting from the contractor's default will be charged directly to the contractor.
- **PLACE OF INSPECTION:** The inspection will be held at the sites, as per the sites identified by MUSLIM AID.
- **COUNTRY OF ORIGIN OF THE SUPPLIER AND AREA OF OPERATION:** The bid shall state the country in which the items are manufactured.
- **BID VALIDITY:** The bid submitted must remain valid for acceptance for **06 Months from** the Invitation to BID closing date.
- **VENDOR REGISTRATION:** Contractors/suppliers are requested to complete and submit with their offer the vendor registration form (Annex F), together with the necessary supporting documentation unless they have already been registered with **Muslim Aid (MAP)** and have received purchase orders within the last 3 years. All the companies are required to submit registration documents for example.
  - **Dealers/Partnership certificates issued by principal companies/organizations**
  - **Certificate of valid registration from PEC – Category C-2 – C4)**
  - **Certificates of Work completed within the last 2 years or so**
  - **National Tax Number / STN**
  - **Update bank statement last one year.**
  - **Or any other document issued by a government regulatory body certifying the legality of their business.**

▪ **BID EVALUATION:**

**d.1) Supplier Registration**

The qualified supplier/ Contractor will be added to the vendor registration after investigation of suitability based on the submitted Vendor / Contractor Registration Form and supporting documents. The investigation involves consideration of several factors such as:

- Financial Standing (6 Monthly Bank Statement)
- Minimum three years of Previous experience in relevant civil work
- Core business
- Track record
- Minimum volume of annual work
- Technical Knowledge of the work under consideration
- Contract capacity
- Interested contracting companies must share the details of their technical staff along with the machinery.
- Potential bidders are informed that your application **MUST** accompany **02% earnest money** as a call deposit in the form of a Demand Draft in the Name of **'Muslim Aid (MAP)** (Please note that the cheque or copy of Demand

Draft will not be acceptable)  
This will be followed later by performance evaluation as a contractor such as:

- Ability to respond quickly to the Agency's needs.
- Timely construction/rehabilitation of **Existing Water Structures** as per agreed design / Completion work as per quality and quantity with intime frame.
- Dependability of products and services.

#### **d.2) Financial and Technical Evaluation**

All bids from contractors will be evaluated based on:

- Compliance with the mentioned MUSLIM AID Specification and approved material as per samples
- Delivery Time / Completion of Work

**IMPORTANT:** For evaluation purposes only, the offers submitted in PKR currency

#### **▪ SUBMISSION OF BIDS**

**Bids must be submitted in sealed envelopes as follows**

- Sealed envelope containing:

**Annex A: Detailed Specification of RFQ and design**

**Annex B: Locations / Construction/Rehabilitation Drinking Water Supply Schemes (04 Sites)**

**Annex C: General Terms and Conditions for Purchase/supply of Goods/ Construction/Rehabilitation of Existing Water Structures in 5 Sites of Killa Saifullah**

**Annex D: Vendor Registration Form and Instruction for completion of bid**

**A sealed envelope containing the financial part of the offer (ANNEXURE A)**

**To be sent only through courier, to the following addresses clearly marked as follows:**

**NOT TO BE OPENED BY THE REGISTRY**

**MAP/MAUK/24/5305-21 (Bids Required for Construction/Rehabilitation of Existing Water Structure in Loralai Balochistan )**

**MUSLIM AID Ad (MAP)**

**Plot # 1, First Floor, Executive Business**

**Centre,Main Double Road, FECHS**

**E-11/2, Islamabad**

Offers submitted must be sealed as detailed below:

*a. the envelope should **be marked tender Number and addressed** as above,*

**All Bids must be received by Tuesday 25<sup>th</sup> June 2024: 03:00 p.m. in the presence of Participants**

**LATE SUBMISSION OF BIDS:** Bids received after the deadline for submission of BIDs and BIDs transmitted in any other manner than those indicated above will not be considered.

#### **a) BID ACCEPTANCE**

**MUSLIM AID** reserves the right to accept the whole or split. Please note **that the lowest offer is not the only criterion for acceptance of the offer).** **Muslim Aid has the right to select the contractor /Supplier against whole or split.**

MUSLIM AID may, at its discretion, extend the deadline for the submission of proposals, by notifying all prospective suppliers in writing. The extension of the deadline may accompany a modification of the solicitation documents prepared by MUSLIM AID at its own initiative or in response to a clarification requested by a prospective supplier.

#### **b) CURRENCY AND PAYMENT TERMS FOR Construction/Rehabilitation of Existing Water Structure**

**Any Purchase Order (PO) issued as a result of this ITB will be made in Pakistani Rupees. All Government taxes are applicable.**

sincerely,  
M. Sulman Baig  
Procurement & Logistic ManagerMUSLIM AID

Plot # 1, First Floor, Executive Business Centre, Main Double Road, FECHS E-11/2, Islamabad

**ANNEXURE A**

**(DETAIL SPECIFICATION OF CIVIL CONSTRUCTION WORK AND MATERIAL SPECIFICATION)**

<b>Sr. No</b>	<b>Scheme/Village Name</b>	<b>UC</b>	<b>Tehsil</b>	<b>District</b>	<b>Amount</b>	<b>Type of scheme New/Rehabilitation</b>
1	DWSS-Killi Amanullah shah karez	Shahkarez	Bori	Loralai		Rehabilitation
2	DWSS-Phari Source No 5	Zarrkarez	Bori	Loralai		Rehabilitation
3	Solar DWSS-Killi Shina Lashti source 2	Shahkarez	Bori	Loralai		Rehabilitation
4	DWSS- Killi Saber Kaduzai	Shahkarez	Bori	Loralai		Rehabilitation
5	DWSS Scheme Airport Source No.1	Shahkarez	Bori	Loralai		Rehabilitation
6	DWSS Scheme Airport Source No.2	Lashti	Bori	Loralai		Rehabilitation
7	DWSS Scheme Airport Source No.3	MC	Bori	Loralai		Rehabilitation
8	DWSS-Killi Shahkarez Habibullah	MC	Bori	Loralai		Rehabilitation
9	DWSS-New Killay Zangi wal	MC	Bori	Loralai		Rehabilitation
10	DWSS-Phari Source 1	MC	Bori	Loralai		Rehabilitation
11	DWSS-PHE Office	Saghar	Bori	Loralai		Rehabilitation
12	DWSS-Session Court Colony	Saghar	Bori	Loralai		Rehabilitation
13	DWSS-Ward No.24 Lashti	Saghar	Bori	Loralai		Rehabilitation

14	Solar DWSS Killi Shina Lashti Source 1	Orygai	Bori	Loralai		Rehabilitation
15	DWSS-New Nasarabad No 1	Lashti	Bori	Loralai		Rehabilitation
<b>Grand Total (inclusive of Taxes and Profits)</b> <b>PKR:</b>						

Total Amount :) \_\_\_\_\_

Contractor' Signatures & Seal \_\_\_\_\_

QUANTITY / ANY OTHER DISCOUNTS (PLEASE SPECIFY):

THE PROPOSED DISCOUNTS WILL BECOME AN INTEGRAL PART OF YOUR BID SUBMISSION  
PAYMENT TERMS: ACCEPTANCE OF PAYMENT TERMS (I.E. 30 DAYS NET FROM RECEIPT OF DOCUMENTS)

YES: \_\_\_\_\_ NO: \_\_\_\_\_ - \_\_\_\_\_

BIDDERS NAME AND SIGNATURE: \_\_\_\_\_

<b>RCW # 1 Killi Amanullah Shah Karez Rehabilitation of Pump House</b>					
<b>Rehabilitation &amp; Renovation of Pump House DWSS-Killi Amanullah shah karez District Loralai.</b>					
Sr. No.	Item Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Providing Plan Cement Plaster 0.5" thick internal, External and for under the roof at pump house using CSM ratio (1:4) including making edges, corners with proper curing. As per instructions of site engineer.	Sft	568		
2	Supplying and fixing of MS iron Window size(4ft x 4ft) with fixing (1.5"x1.5") angle iron and using of 18 SWG iron sheet and 2 or 3 coats final painted with fixing MAP, Hinges for fixing in walls 04 No if require, Cross weld with angle iron or as per standard specifications approved by engineer in charge.	Nos.	3.00		
3	Painting with three coats of weather-resistant paint, including wall puttying of all outdoor walls, indoor walls, and ceiling surfaces of pump house, using approved paints and colour pigments. Complete in all respects as per the approval and direction of the Engineer in Charge.	Sft	1364.00		

4	Painting of Logos of Muslim Aid Pakistan and Charity Water on the Surfaces, identified and directed by Engineer In Charge with the standard colors and specifications, logos 02 nos of size (2'ft x 2'ft) at outer side of pump house and 03 no of logos size (1'ft x 1'ft) at walls and wash and points with writing santance	Job.	1.00		
5	Providing and Installing High Quality Visibility Sign Board of 3'x4' Dimensions on 18 SWG Iron Sheet including G.I Pipes frame for Supporting Purpose of 1" Dia (14 SWG) Placed at the Height of Atleast 4.5 Ft Above the Ground with Strong Concrete Foundation of atleast 1.5 Ft Depth, Painted with Approved Color and Logos and Details of the Project Provided on Site. As per Directions of Engineer In Charge.	Job.	1.00		
<b>Total Cost PKRs.</b>					

### RCW # 1 Electric Pump Machinery

#### Rehabilitation of DWSS Killi Amanullah shah karez District Loralai.

Sr. No.	Items Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Providing and Installation of 3-Phased Electric Power Operating Motor with Submersible Pump <b>35 HP</b> as per guidelines of PHE Department and instructions of site engineer, with maximum router capacity, rewind-able (Copper Winding) with maximum discharged capacity 150 - 350 Gallon per minute with 3 - 4" diameter column pipes. along with complete parts e.g complete in all respects as per Directions of Engineer incharge	Set	1.00		
2	Providing & fixing of Hardcore service cable (wapda) 3-phase electric power cable high quality from main source to Pump house connecting to fixing further switchboard & accessories main operation to operating a 35HP Sumersible motor pump.	Rft	50.00		
3	Supply and installation 35 (sq.mm), 3-core (3x35 sq.mm), PVC insulated and sheathed multicore, 600/1000V cable with copper conductor directly clipped on surface of wall, column, beam ceiling etc for power wiring.	Rft	450.00		

4	Providing & Fixing of Mounting type distribution board fabricated from 16 SWG steel sheet, powder coated with approved color 2'x2'x1.5' Angle Iron Supports of 4 ft Length and section of 1.5"x1.5"x3mm Thickness, with Electric Starter, breaker switch with 3 phase wiring installed and fitted on board of approved equivalent (similar specifications), complete in all respects as per Directions of Engineer incharge	Nos	1.00		
5	Providing & Fixing 3" inches (75 mm) inner dia G.I. Column pipe IIL Karachi 12 gauge or equivalent as per guidelines of PHED department and instructions of site engineer with proper joints welding, cutting, testing and disinfecting through (Cable Ties, Nut Bolts & Rubber Gaskets etc.)	Rft	410.00		
6	Providing & Fixing of Good Quality of Iron Garder (4inch x 8 inch) or (200 mm X 100 mm) of unit weight 3.5 kg/ft for Top of the Pump room as per the instructions of site Engineer	Rft	12.00		
7	Providing and fixing Gate valve (screwed) 6" dia of approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
8	Providing and fixing of 6" dia Non-returned valve with proper fixing installation approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
<b>Total Cost PKRs.</b>					

### Summary of Cost DWSS-Killi Amanullah shah karez

Sr. No.	Description	Amount Rs.
1	Electric Pump Machinery	
2	Rehabilitation of Pump House	
<b>TOTAL (Rs.)</b>		

Total Amount :) \_\_\_\_\_

Contractor's Signatures & Seal \_\_\_\_\_

QUANTITY / ANY OTHER DISCOUNTS (PLEASE SPECIFY):

--

THE PROPOSED DISCOUNTS WILL BECOME AN INTEGRAL PART OF YOUR BID SUBMISSION  
 PAYMENT TERMS: ACCEPTANCE OF PAYMENT TERMS (I.E. 30 DAYS NET FROM RECEIPT OF DOCUMENTS)

YES: \_\_\_\_\_ NO: \_\_\_\_\_

BIDDERS NAME AND SIGNATURE: \_\_\_\_\_

**RCW # 2 DWSS Phari  
Elecric Pump Machinery**

**Rehabilitation of -DWSS-Phari Source No 5 District Loralai.**

Sr. No.	Items Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Providing and Installation of 3-Phased Electric Power Operating Motor with Submersible Pump <b>35 HP</b> as per guidelines of PHE Department and instructions of site engineer, with maximum router capacity, rewind-able (Copper Winding) with maximum discharged capacity 150 -350 Gallon per minute with 3 - 4" diameter column pipes. along with complete parts e.g complete in all respects as per Directions of Engineer incharge	Set	1.00		
2	Providing & fixing of Hardcore service cable (wapda) 3-phase electric power cable high quality from main source to Pump house connecting to fixing further switchboard & accessories main operation to operating a 35HP Sumersible motor pump.	Rft	50.00		
3	Supply and installation 35 (sq.mm), 3-core (3x35 sq.mm), PVC insulated and sheathed multicore, 600/1000V cable with copper conductor directly clipped on surface of wall, column, beam ceiling etc for power wiring.	Rft	350.00		
4	Providing & Fixing of Mounting type distribution board fabricated from 16 SWG steel sheet, powder coated with approved color 2'x2'x1.5' Angle Iron Supports of 4 ft Length and section of 1.5"x1.5"x3mm Thickness, with Electric Starter, breaker switch with 3 phase wiring installed and fitted on board of approved equivalent (similar specifcations), complete in all respects as per Directions of Engineer incharge	Nos	1.00		
5	Providing & Fixing 3" inches (75 mm) inner dia G.I. Colum pipe IIL Karachi 12 gauge or equivalent as per guidelines of PHED department and instructions of site engineer with proper joints welding, cutting, testing and disinfecting through (Cable Ties, Nut Bolts & Rubber Gaskets etc.)	Rft	330.00		



7	Providing and fixing Gate valve (screwed) 6" dia of approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
8	Providing and fixing of 6" dia Non-returned valve with proper fixing installation approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
<b>Total Cost PKRs.</b>					

## Rehabilitation of Pump House

### Rehabilitation & Renovation of Pump House -DWSS-Phari Source No 5 District Loralai.

Sr. No.	Item Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Providing Plain Cement Plaster 0.5" thick internal, External and for under the roof at pump house using CSM ratio (1:4) including making edges, corners with proper curing. As per instructions of site engineer.	Sft	404		
2	Supplying and fixing of MS iron Window size (4ft x 4ft) with fixing (1.5"x1.5") angle iron and using of 18 SWG iron sheet and 2 or 3 coats final painted with fixing MAP, Hinges for fixing in walls 04 Nos if require, Cross weld with angle iron or as per standard specifications approved by engineer in charge.	Nos.	1.00		
3	Painting with three coats of weather-resistant paint, including wall puttying of all outdoor walls, indoor walls, and ceiling surfaces of pump house, using approved paints and colour pigments. Complete in all respects as per the approval and direction of the Engineer in Charge.	Sft	1396.00		
4	Painting of Logos of Muslim Aid Pakistan and Charity Water on the Surfaces, identified and directed by Engineer In Charge with the standard colors and specifications, logos 02 nos of size (2'ft x 2'ft) at outer side of pump house and 03 no of logos size (1'ft x 1'ft) at walls and wash and points with writing sentence	Job.	1.00		

5	Providing and Installing High Quality Visibility Sign Board of 3'x4' Dimensions on 18 SWG Iron Sheet including G.I Pipes frame for Supporting Purpose of 1" Dia (14 SWG) Placed at the Height of Atleast 4.5 Ft Above the Ground with Strong Concrete Foundation of atleast 1.5 Ft Depth, Painted with Approved Color and Logos and Details of the Project Provided on Site. As per Directions of Engineer In Charge.	Job.	1.00		
<b>Total Cost PKRs.</b>					

### Summary of Cost Rehabilitation of -DWSS-Phari Source No 5

Sr. No.	Description	Amount Rs.
1	Electric Pump Machinery	
2	Rehabilitation of Pump House	
<b>TOTAL (Rs.)</b>		

Total Amount :) \_\_\_\_\_

Contractor' Signatures & Seal \_\_\_\_\_

QUANTITY / ANY OTHER DISCOUNTS (PLEASE SPECIFY):

--

THE PROPOSED DISCOUNTS WILL BECOME AN INTEGRAL PART OF YOUR BID SUBMISSION  
 PAYMENT TERMS: ACCEPTANCE OF PAYMENT TERMS (I.E., 30 DAYS NET FROM RECEIPT OF DOCUMENTS)

YES: \_\_\_\_\_ NO: \_\_\_\_\_

BIDDERS NAME AND SIGNATURE: \_\_\_\_\_

### RCW # 3 Killi Shina Lashti Solar Submersible

**Rehabilitation of DWSS-Killi Shina Lashti Source 2, District Loralai.**

Sr. No.	Items Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)	Remarks
1	Providing and Installation of 3-Phased Electric Power Operating Motor with Submersible Pump <b>25 HP</b> as per guidelines of PHE Department and instructions of site engineer, with maximum router capacity, rewind-able (Copper Winding) with maximum discharged capacity 150 -350 Gallon per minute with 3 - 4" diameter column pipes. along with complete parts e.g complete in all respects as per Directions of Engineer incharge	Set	1.00			
2	Supply and Installation of Solar energy-based AC /DC Variable Frequency Drive (VFD) inverter 30-37KW of (Invt or equivalent variant) as per instructions of site engineer for the operating above submersible motor pump complete in all respects.	Nos	1.00			
3	Supply and installation DC cable 6 sq.mm four-core cable with copper conductor PVC insulated and sheathed multicore, cable with copper conductor directly clipped on surface of wall, column, beam ceiling etc. for power wiring as suggested by PHE and instructions of site engineer	Rft	300.00			
4	Providing & Fixing of Mounting type distribution board fabricated from 16 SWG steel sheet, powder coated with approved color 2'x2'x1.5' Angle Iron Supports of 4 ft Length and section of 1.5"x1.5"x3mm Thickness, with Electric Starter, breaker switch with 3 phase wiring installed and fitted on board of approved equivalent (similar specifcations), complete in all respects as per Directions of Engineer incharge	Nos	1.00			
5	Providing & Fixing 3" inches (75 mm) inner dia G.I. Colum pipe IIL Karachi 12 gauge or equivalent as per guidelines of PHED department and instructions of site engineer with proper joints welding, cutting, testing and disinfecting through (Cable Ties, Nut Bolts & Rubber Gaskets etc.)	Rft	260.00			
6	Providing & Fixing of Good Quality of Iron Garder (4inch x 8 inch) or (200 mm X 100 mm) of unit weight 3.5 kg/ft for Top of the Pump room as per the instructions of site Engineer	Rft	12.00			
7	Providing and fixing Gate valve (screwed) 6" dia of approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00			
8	Providing and fixing of 6" dia Non-returned valve with proper fixing installation approved quality complete in all respects as per Directions of Engineer incharge	Nos	3.00			
	<b>Total Cost PKRs.</b>					

## Rehabilitation of Pump House

### Rehabilitation & Renovation of Pump House DWSS-Killi Shina Lashti source 2 District Loralai.

Sr. No.	Item Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)	Remarks
3	Providing Plain Cement Plaster 0.5" thick internal, External and for under the roof at pump house using CSM ratio (1:4) including making edges, corners with proper curing. As per instructions of site engineer.	Sft	300			
4	Supplying and fixing of MS iron Window size (4ft x 4ft) with fixing (1.5"x1.5") angle iron and using of 18 SWG iron sheet and 2 or 3 coats final painted with fixing MAP, Hinges for fixing in walls 04 Nos if require, Cross weld with angle iron or as per standard specifications approved by engineer in charge.	Nos.	2.00			
5	Painting with three coats of weather-resistant paint, including wall puttying of all outdoor walls, indoor walls, and ceiling surfaces of pump house, using approved paints and colour pigments. Complete in all respects as per the approval and direction of the Engineer in Charge.	Sft	1380.00			
7	Painting of Logos of Muslim Aid Pakistan and Charity Water on the Surfaces, identified and directed by Engineer In Charge with the standard colors and specifications, logos 02 nos of size (2'ft x 2'ft) at outer side of pump house and 03 no of logos size (1'ft x 1'ft) at walls and wash and points with writing sance	Job.	1.00			
8	Providing and Installing High Quality Visibility Sign Board of 3'x4' Dimensions on 18 SWG Iron Sheet including G.I Pipes frame for Supporting Purpose of 1" Dia (14 SWG) Placed at the Height of Atleast 4.5 Ft Above the Ground with Strong Concrete Foundation of atleast 1.5 Ft Depth, Painted with Approved Color and Logos and Details of the Project Provided on Site. As per Directions of Engineer In Charge.	Job.	1.00			
<b>Total Cost PKRs.</b>						

### Summary of Cost Rehabilitation of -DWSS-Killi Shina Lashti source 2

Sr. No.	Description	Amount Rs.
1	Electric Pump Machinery	

2	Rehabilitation of Pump House	
<b>TOTAL (Rs.)</b>		

Total Amount :) \_\_\_\_\_

Contractor' Signatures & Seal \_\_\_\_\_

QUANTITY / ANY OTHER DISCOUNTS (PLEASE SPECIFY):

THE PROPOSED DISCOUNTS WILL BECOME AN INTEGRAL PART OF YOUR BID SUBMISSION

PAYMENT TERMS: ACCEPTANCE OF PAYMENT TERMS (I.E., 30 DAYS NET FROM RECEIPT OF DOCUMENTS)

YES: \_\_\_\_\_ NO: \_\_\_\_\_

BIDDERS NAME AND SIGNATURE: \_\_\_\_\_

RCW # 4 Killi Saber Kaduzai Electric Pump Machinery					
Rehabilitation of DWSS Scheme Rehabilitation of -DWSS- Killi Saber Kaduzai District Loralai.					
Sr. No.	Items Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Providing and Installation of 3-Phased Electric Power Operating Motor with Submersible Pump <b>30 HP</b> as per guidelines of PHE Department and instructions of site engineer, with maximum router capacity, rewind-able (Copper Winding) with maximum discharged capacity 100 -300 Gallon per minute with 3 - 4" diameter column pipes. along with complete parts e.g complete in all respects as per Directions of Engineer incharge	Set	1.00		
2	Providing & fixing of Hardcore service cable (wapda) 3-phase electric power cable high quality from main source to Pump house connecting to fixing further switchboard & accessories main operation to operating a 30HP Sumersible motor pump.	Rft	50.00		
3	Supply and installation 35 (sq.mm), 3-core (3x35 sq.mm), PVC insulated and sheathed multicore, 600/1000V cable with copper conductor directly clipped on surface of wall, column, beam ceiling etc for power wiring.	Rft	410.00		

4	Providing & Fixing of Mounting type distribution board fabricated from 16 SWG steel sheet, powder coated with approved color 2'x2'x1.5' Angle Iron Supports of 4 ft Length and section of 1.5"x1.5"x3mm Thickness, with Electric Starter, breaker switch with 3 phase wiring installed and fitted on board of approved equivalent (similar specifications), complete in all respects as per Directions of Engineer incharge	Nos	1.00		
5	Providing & Fixing 3" inches (75 mm) inner dia G.I. Column pipe IIL Karachi 12 gauge or equivalent as per guidelines of PHED department and instructions of site engineer with proper joints welding, cutting, testing and disinfecting through (Cable Ties, Nut Bolts & Rubber Gaskets etc.)	Rft	380.00		
7	Providing & Fixing of Good Quality of Iron Garder (4inch x 8 inch) or (200 mm X 100 mm) of unit weight 3.5 kg/ft for Top of the Pump room as per the instructions of site Engineer	Rft	12.00		
8	Providing and fixing Gate valve (screwed) 6" dia of approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
9	Providing and fixing of 6" dia Non-returned valve with proper fixing installation approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
Total Cost PKRs.					

## Rehabilitation of Pump House

### Rehabilitation & Renovation of Pump House DWSS- Killi Saber Kaduzai District Loralai.

Sr. No.	Item Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)	Remarks
3	Providing Plan Cement Plaster 0.5" thick internal, External and for under the roof at pump house using CSM ratio (1:4) including making edges, corners with proper curing. As per instructions of site engineer.	Sft	300			
4	Supplying and fixing of MS iron Window size (4ft x 4ft) with fixing (1.5"x1.5") angle iron and using of 18 SWG iron sheet and 2 or 3 coats final painted with fixing MAP, Hinges for fixing in walls 04 No if require, Cross weld with angle iron or as per standard specifications approved by engineer in charge.	Nos.	2.00			
5	Painting with three coats of weather-resistant paint, including wall puttying of all outdoor walls, indoor walls, and ceiling surfaces of pump house, using approved paints	Sft	1380.00			

	and colour pigments. Complete in all respects as per the approval and direction of the Engineer in Charge.					
7	Painting of Logos of Muslim Aid Pakistan and Charity Water on the Surfaces, identified and directed by Engineer In Charge with the standard colors and specifications, logos 02 nos of size (2'ft x 2'ft) at outer side of pump house and 03 no of logos size (1'ft x 1'ft) at walls and wash and points with writing sance	Job.	1.00			
8	Providing and Installing High Quality Visibility Sign Board of 3'x4' Dimensions on 18 SWG Iron Sheet including G.I Pipes frame for Supporting Purpose of 1" Dia (14 SWG) Placed at the Height of Atleast 4.5 Ft Above the Ground with Strong Concrete Foundation of atleast 1.5 Ft Depth, Painted with Approved Color and Logos and Details of the Project Provided on Site. As per Directions of Engineer In Charge.	Job.	1.00			
<b>Total Cost PKRs.</b>						

### DWSS Rehabilitaion Summary

Summary of Cost Rehabilitation of -DWSS- Killi Saber Kaduzai		
Sr. No.	Description	Amount Rs.
1	Electric Pump Machinery	
2	Rehabilitation of Pump House	
<b>TOTAL (Rs.)</b>		

Total Amount :) \_\_\_\_\_

Contractor' Signatures & Seal \_\_\_\_\_

QUANTITY / ANY OTHER DISCOUNTS (PLEASE SPECIFY):

THE PROPOSED DISCOUNTS WILL BECOME AN INTEGRAL PART OF YOUR BID SUBMISSION

PAYMENT TERMS: ACCEPTANCE OF PAYMENT TERMS (I.E., 30 DAYS NET FROM RECEIPT OF DOCUMENTS)

YES: \_\_\_\_\_ NO: \_\_\_\_\_

BIDDERS NAME AND SIGNATURE: \_\_\_\_\_

## RCW # 5 Airport Source No.1 Electric Pump Machinery

### Rehabilitation of DWSS Scheme Airport Source No.1 District Loralai.

Sr. No.	Items Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)	Remarks
1	Providing and Installation of 3-Phased Electric Power Operating Motor with Submersible Pump <b>30 HP</b> as per guidelines of PHE Department and instructions of site engineer, with maximum router capacity, rewind-able (Copper Winding) with maximum discharged capacity 100 -300 Gallon per minute with 3 - 4" diameter column pipes. along with complete parts e.g complete in all respects as per Directions of Engineer incharge	Set	1.00			
2	Providing & fixing of Hardcore service cable (wapda) 3-phase electric power cable high quality from main source to Pump house connecting to fixing further switchboard & accessories main operation to operating a 30HP Sumersible motor pump.	Rft	100.00			
3	Supply and installation 35 (sq.mm), 3-core (3x35 sq.mm), PVC insulated and sheathed multicore, 600/1000V cable with copper conductor directly clipped on surface of wall, column, beam ceiling etc for power wiring.	Rft	330.00			
4	Providing & Fixing of Mounting type distribution board fabricated from 16 SWG steel sheet, powder coated with approved color 2'x2'x1.5' Angle Iron Supports of 4 ft Length and section of 1.5"x1.5"x3mm Thickness, with Electric Starter, breaker switch with 3 phase wiring installed and fitted on board of approved equivalent (similar specfications), complete in all respects as per Directions of Engineer incharge	Nos	1.00			
5	Providing & Fixing 3" inches (75 mm) inner dia G.I. Colum pipe IIL Karachi 12 gauge or equivalent as per guidelines of PHED department and instructions of site engineer with proper joints welding, cutting, testing and disinfecting through (Cable Ties, Nut Bolts & Rubber Gaskets etc.)	Rft	280.00			
6	Providing & Fixing of Good Quality of Iron Garder (4inch x 8 inch) or (200 mm X 100 mm) of unit weight 3.5 kg/ft for Top of the Pump room as per the instructions of site Engineer	Rft	12.00			



7	Providing and fixing Gate valve (screwed) 6" dia of approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00			
8	Providing and fixing of 6" dia Non-returned valve with proper fixing installation approved quality complete in all respects as per Directions of Engineer incharge	Nos	3.00			
<b>Total Cost PKRs.</b>						

## Rehabilitation of Pump House

### Rehabilitation & Renovation of Pump House Airport Source No.1 District Loralai.

Sr. No.	Item Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)	Remarks
1	Dismantling of RCC roof slab of Pump House size (15'ft x 21'ft x 0.5'ft), separating reinforcement from concrete.	Sft	157.50			
2	Providing and laying of RCC (1:2:4) top on the roof of Pump House size (15'ft x 21'ft x 0.5'ft), using MS Iron 12mm iron bar (Grade 40 steel) @ 6" c/c proper binding with binding wire bothway in using graded cube crushed 3/4 inch (19mm) and down; with shuttering and its removal after 28 days, compacting and curing.	Cft	157.5			
3	Providing Plan Cement Plaster 0.5" thick internal, External and for under the roof at pump house using CSM ratio (1:4) including making edges, corners with proper curing. As per instructions of site engineer.	Sft	1144			
4	Supplying and fixing of MS iron Window size (4ft x 4ft) with fixing (1.5"x1.5") angle iron and using of 18 SWG iron sheet and 2 or 3 coats final painted with fixing MAP, Hinges for fixing in walls 04 No if require, Cross weld with angle iron or as per standard specifications approved by engineer in charge.	Nos	1.00			
5	Painting with three coats of weather-resistant paint, including wall puttying of all outdoor walls, indoor walls, and ceiling surfaces of pump house, using approved paints and colour pigments. Complete in all respects as per the approval and direction of the Engineer in Charge.	Sft	1100.00			

6	Painting of Logos of Muslim Aid Pakistan and Charity Water on the Surfaces, identified and directed by Engineer In Charge with the standard colors and specifications, logos 02 nos of size (2'ft x 2'ft) at outer side of pump house and 03 no of logos size (1'ft x 1'ft) at walls and wash and points with writing santance	Job.	1.00			
7	Providing and Installing High Quality Visibility Sign Board of 3'x4' Dimensions on 18 SWG Iron Sheet including G.I Pipes frame for Supporting Purpose of 1" Dia (14 SWG) Placed at the Height of Atleast 4.5 Ft Above the Ground with Strong Concrete Foundation of atleast 1.5 Ft Depth, Painted with Approved Color and Logos and Details of the Project Provided on Site. As per Directions of Engineer In Charge.	Job.	1.00			
<b>Total Cost PKRs.</b>						

### Summary of Cost Airport Source No.1

Sr. No.	Description	Amount Rs.
1	Electric Pump Machinery	
2	Rehabilitation of Pump House	
<b>TOTAL (Rs.)</b>		

Total Amount :) \_\_\_\_\_

Contractor' Signatures & Seal \_\_\_\_\_

QUANTITY / ANY OTHER DISCOUNTS (PLEASE SPECIFY):

THE PROPOSED DISCOUNTS WILL BECOME AN INTEGRAL PART OF YOUR BID SUBMISSION

PAYMENT TERMS: ACCEPTANCE OF PAYMENT TERMS (I.E., 30 DAYS NET FROM RECEIPT OF DOCUMENTS)

YES: \_\_\_\_\_ NO: \_\_\_\_\_

BIDDERS NAME AND SIGNATURE: \_\_\_\_\_

**RCW # 6 Airport Source # 2  
Electric Pump Machinery**

**Rehabilitation of DWSS Scheme Airport Source No.2 District Loralai.**

Sr. No	Items Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Providing and Installation of 3-Phased Electric Power Operating Motor with Submersible Pump <b>30 HP</b> as per guidelines of PHE Department and instructions of site engineer, with maximum router capacity, rewind-able (Copper Winding) with maximum discharged capacity 100 -300 Gallon per minute with 3 - 4" diameter column pipes. along with complete parts e.g complete in all respects as per Directions of Engineer incharge	Set	1.00		
2	Providing & fixing of Hardcore service cable (wapda) 3-phase electric power cable high quality from main source to Pump house connecting to fixing further switchboard & accessories main operation to operating a 30HP Sumersible motor pump.	Rft	80.00		
3	Supply and installation 35 (sq.mm), 3-core (3x35 sq.mm), PVC insulated and sheathed multicore, 600/1000V cable with copper conductor directly clipped on surface of wall, column, beam ceiling etc for power wiring.	Rft	330.00		
4	Providing & Fixing of Mounting type distribution board fabricated from 16 SWG steel sheet, powder coated with approved color 2'x2'x1.5' Angle Iron Supports of 4 ft Length and section of 1.5"x1.5"x3mm Thickness, with Electric Starter, breaker switch with 3 phase wiring installed and fitted on board of approved equivalent (similar specifcations), complete in all respects as per Directions of Engineer incharge	Nos	1.00		
5	Providing & Fixing 3" inches (75 mm) inner dia G.I. Colum pipe IIL Karachi 12 gauge or equivalent as per guidelines of PHED department and instructions of site engineer with proper joints welding, cutting, testing and disinfecting through (Cable Ties, Nut Bolts & Rubber Gaskets etc.)	Rft	280.00		
6	Providing & Fixing of Good Quality of Iron Garder (4inch x 8 inch) or (200 mm X 100 mm) of unit weight 3.5 kg/ft for Top of the Pump room as per the instructions of site Engineer	Rft	12.00		
7	Providing and fixing Gate valve (screwed) 6" dia of approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		

8	Providing and fixing of 6" dia non-returned valve with proper fixing installation approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
<b>Grant Total</b>					

## Rehabilitation of Pump House

### Rehabilitation & Renovation of Pump House Airport Source No.2 District Loralai.

Sr. No.	Item Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Dismantling of RCC roof slab of Pump House size (15'ftx 21'ftx 0.5'ft), separating reinforcement from concrete.		112.50		
2	Providing and laying of RCC (1:2:4) top on the roof of Pump House size (15'ftx 21'ftx 0.5'ft), using MS Iron 12mm iron bar (Grade 40 steel) @ 6" c/c proper bindingn with binding wire bothway in using graded cube crushed 3/4 inch (19mm) and down; with shuttering and its removal after 28 days, compacting and curing.	Cft	112.5		
3	Providing Plan Cement Plaster 0.5" thick internal, External and for under the roof at pump house using CSM ratio (1:4) including making edges, corners with proper curing. As per instructions of site engineer.	Sft	580		
4	Supplying and fixing of MS iron Window size(4ft x 4ft) with fixing (1.5"x1.5") angle iron and using of 18 SWG iron sheet and 2 or 3 coats final painted with fixing MAP, Hinges for fixing in walls 04 No if require, Cross weld with angle iron or as per standard specifications approved by engineer in charge.	Nos.	2.00		
5	Painting with three coats of weather-resistant paint, including wall puttying of all outdoor walls, indoor walls, and ceiling surfaces of pump house, using approved paints and colour pigments. Complete in all respects as per the approval and direction of the Engineer in Charge.	Sft	1292.00		
6	Painting of Logos of Muslim Aid Pakistan and Charity Water on the Surfaces, identified and directed by Engineer In Charge with the standard colors and specifications, logos 02 nos of size (2'ft x 2'ft) at outer side of pump house and 03 no of logos size (1'ft x 1'ft) at walls and wash and points with writing santance	Job.	1.00		

7	Providing and Installing High Quality Visibility Sign Board of 3'x4' Dimensions on 18 SWG Iron Sheet including G.I Pipes frame for Supporting Purpose of 1" Dia (14 SWG) Placed at the Height of Atleast 4.5 Ft Above the Ground with Strong Concrete Foundation of atleast 1.5 Ft Depth, Painted with Approved Color and Logos and Details of the Project Provided on Site. As per Directions of Engineer In Charge.	Job.	1.00		
	<b>Total Cost PKRs.</b>				

### Summary of Cost Airport Source No.2

Sr. No.	Description	Amount Rs.
1	Electric Pump Machinery	
2	Rehabilitation of Pump House	
<b>TOTAL (Rs.)</b>		

Total Amount :) \_\_\_\_\_

Contractor' Signatures & Seal \_\_\_\_\_

QUANTITY / ANY OTHER DISCOUNTS (PLEASE SPECIFY):

THE PROPOSED DISCOUNTS WILL BECOME AN INTEGRAL PART OF YOUR BID SUBMISSION

PAYMENT TERMS: ACCEPTANCE OF PAYMENT TERMS (I.E., 30 DAYS NET FROM RECEIPT OF DOCUMENTS)

YES: \_\_\_\_\_ NO: \_\_\_\_\_

BIDDERS NAME AND SIGNATURE: \_\_\_\_\_

## RCW # 7 Airport Source # 3 Electric Pump Machinery

### Rehabilitation of DWSS Scheme Airport Source No.3 District Loralai.

Sr. No.	Items Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Providing and Installation of 3-Phased Electric Power Operating Motor with Submersible Pump <b>30 HP</b> as per guidelines of PHE Department and instructions of site engineer, with maximum router capacity, rewind-able (Copper Winding) with maximum discharged capacity 100 -300 Gallon per minute with 3 - 4" diameter column pipes. along with complete parts e.g complete in all respects as per Directions of Engineer incharge	Set	1.00		
2	Providing & fixing of Hardcore service cable (wapda) 3-phase electric power cable high quality from main source to Pump house connecting to fixing further switchboard & accessories main operation to operating a 30HP Sumersible motor pump.	Rft	100.00		
3	Supply and installation 35 (sq.mm), 3-core (3x35 sq.mm), PVC insulated and sheathed multicore, 600/1000V cable with copper conductor directly clipped on surface of wall, column, beam ceiling etc for power wiring.	Rft	330.00		
4	Providing & Fixing of Mounting type distribution board fabricated from 16 SWG steel sheet, powder coated with approved color 2'x2'x1.5' Angle Iron Supports of 4 ft Length and section of 1.5"x1.5"x3mm Thickness, with Eectric Starter, breaker switch with 3 phase wiring installed and fitted on board of approved equivalent (similar specifcations), complete in all respects as per Directions of Engineer incharge	Nos	1.00		
5	Providing & Fixing 3" inches (75 mm) inner dia G.I. Colum pipe IIL Karachi 12 gauge or equivalent as per guidelines of PHED department and instructions of site engineer with proper joints welding, cutting, testing and disinfecting through (Cable Ties, Nut Bolts & Rubber Gaskets etc.)	Rft	280.00		
6	Providing & Fixing of Good Quality of Iron Garder (4inch x 8 inch) or (200 mm X 100 mm) of unit weight 3.5 kg/ft for Top of the Pump room as per the instructions of site Engineer	Rft	12.00		

7	Providing and fixing Gate valve (screwed) 6" dia of approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
8	Providing and fixing of 6" dia Non-returned valve with proper fixing installation approved quality complete in all respects as per Directions of Engineer incharge	Nos	3.00		
<b>Total Cost PKRs.</b>					

## Rehabilitation of Pump House

### Rehabilitation & Renovation of Pump House Airport Source No.3 District Loralai.

Sr. No.	Item Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Providing Plain Cement Plaster 0.5" thick internal, External and for under the roof at pump house using CSM ratio (1:4) including making edges, corners with proper curing. As per instructions of site engineer.	Sft	540		
2	Supplying and fixing of MS iron Window size (4ft x 4ft) with fixing (1.5"x1.5") angle iron and using of 18 SWG iron sheet and 2 or 3 coats final painted with fixing MAP, Hinges for fixing in walls 04 Nos if require, Cross weld with angle iron or as per standard specifications approved by engineer in charge.	Nos.	2.00		
3	Painting with three coats of weather-resistant paint, including wall puttying of all outdoor walls, indoor walls, and ceiling surfaces of pump house, using approved paints and colour pigments. Complete in all respects as per the approval and direction of the Engineer in Charge.	Sft	1380.00		
4	Painting of Logos of Muslim Aid Pakistan and Charity Water on the Surfaces, identified and directed by Engineer In Charge with the standard colors and specifications, logos 02 nos of size (2'ft x 2'ft) at outer side of pump house and 03 no of logos size (1'ft x 1'ft) at walls and wash and points with writing substance	Job.	1.00		
5	Providing and Installing High Quality Visibility Sign Board of 3'x4' Dimensions on 18 SWG Iron Sheet including G.I Pipes frame for Supporting Purpose of 1" Dia (14 SWG) Placed at the Height of Atleast 4.5 Ft Above the Ground with Strong Concrete Foundation of atleast 1.5 Ft Depth, Painted with Approved Color and Logos and Details of the Project Provided on Site. As per Directions of Engineer In Charge.	Job.	1.00		

	<b>Total Cost PKRs.</b>	
--	-------------------------	--

### Summary of Cost Airport Source No.3

Sr. No.	Description	Amount Rs.
1	Electric Pump Machinery	
2	Rehabilitation of Pump House	
<b>TOTAL (Rs.)</b>		

Total Amount :) \_\_\_\_\_

Contractor' Signatures & Seal \_\_\_\_\_

QUANTITY / ANY OTHER DISCOUNTS (PLEASE SPECIFY):

THE PROPOSED DISCOUNTS WILL BECOME AN INTEGRAL PART OF YOUR BID SUBMISSION

PAYMENT TERMS: ACCEPTANCE OF PAYMENT TERMS (I.E., 30 DAYS NET FROM RECEIPT OF DOCUMENTS)

YES: \_\_\_\_\_ NO: \_\_\_\_\_

BIDDERS NAME AND SIGNATURE: \_\_\_\_\_

<b>RCW # 8 Killi Shah Karaez Electric Pump Machinery</b>					
<b>Rehabilitation of DWSS Scheme -Rehabilitation of DWSS-Killi Shahkarez Habibullah District Loralai.</b>					
Sr. No.	Items Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Providing and Installation of 3-Phased Electric Power Operating Motor with Submersible Pump <b>30 HP</b> as per guidelines of PHE Department and instructions of site engineer, with maximum router capacity, rewind-able (Copper Winding) with maximum discharged capacity 100 -300 Gallon per minute with 3 - 4" diameter column pipes. along with complete parts e.g complete in all respects as per Directions of Engineer incharge	Set	1.00		



2	Providing & fixing of Hardcore service cable (wapda) 3-phase electric power cable high quality from main source to Pump house connecting to fixing further switchboard & accessories main operation to operating a 30HP Sumersible motor pump.	Rft	50.00		
3	Supply and installation 35 (sq.mm), 3-core (3x35 sq.mm), PVC insulated and sheathed multicore, 600/1000V cable with copper conductor directly clipped on surface of wall, column, beam ceiling etc for power wiring.	Rft	380.00		
4	Providing & Fixing of Mounting type distribution board fabricated from 16 SWG steel sheet, powder coated with approved color 2'x2'x1.5' Angle Iron Supports of 4 ft Length and section of 1.5"x1.5"x3mm Thickness, with Electric Starter, breaker switch with 3 phase wiring installed and fitted on board of approved equivalent (similar specifcations), complete in all respects as per Directions of Engineer incharge	Nos	1.00		
5	Providing & Fixing 3" inches (75 mm) inner dia G.I. Colum pipe IIL Karachi 12 gauge or equivalent as per guidelines of PHED department and instructions of site engineer with proper joints welding, cutting, testing and disinfecting through (Cable Ties, Nut Bolts & Rubber Gaskets etc.)	Rft	350.00		
6	Providing & Fixing of Good Quality of Iron Garder (4inch x 8 inch) or (200 mm X 100 mm) of unit weight 3.5 kg/ft for Top of the Pump room as per the instructions of site Engineer	Rft	12.00		
7	Providing and fixing Gate valve (screwed) 6" dia of approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
8	Providing and fixing of 6" dia Non-returned valve with proper fixing installation approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
9	Providing and Laying of 4" dia PVC "B" class pipe (PHED Approved Quality) for repairing of existing pipe line with Proper fitting, jointing, Including, Tee, Socket joint etc, the work includes extension of pipe network, replacement of damaged pipe in existing network.	RFT	30.00		
10	Supply and fixing of good quality bib cock 1/2" dia approved quality complete in all respects as per Directions of Engineer incharge	Nos	7.00		
<b>Total Cost PKRs.</b>					

## Rehabilitation of Pump House

### Rehabilitation & Renovtion of Pump -Rehabilitation of DWSS-Killi Shahkarez Habibullah District Loralai.

Sr. No.	Item Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Providing Plan Cement Plaster 0.5" thick internal, External and for under the roof at pump house using CSM ratio (1:4) including making edges, corners with proper curing.	Sft	576		
2	Supplying and fixing of MS iron Window size(4ft x 4ft) with fixing (1.5"x1.5") angle iron and using of 18SWG iron sheet and 2 or 3 coats final painted with fixing MAP, Hinges for fixing in walls 04 No if require, Cross weld with angle iron or as per standard specifications approved by engineer in charge.	Nos.	2.00		
3	Painting with three coats of weather-resistant paint, including wall puttying of all outdoor walls, indoor walls, and ceiling surfaces of pump house, using approved paints and colour pigments. Complete in all respects as per the approval and direction of the Engineer in Charge.	Sft	1380.00		
4	Painting of Logos of Muslim Aid Pakistan and Charity Water on the Surfaces, identified and directed by Engineer In Charge with the standard colors and specifications, logos 02 nos of size (2'ft x 2'ft) at outer side of pump house and 03 no of logos size (1'ft x 1'ft) at walls and wash and points with writing santance	Job.	1.00		
5	Providing and Installing High Quality Visibility Sign Board of 3'x4' Dimensions on 18 SWG Iron Sheet including G.I Pipes frame for Supporting Purpose of 1" Dia Placed at the Height of Atleast 4.5 Ft Above the Ground with Strong Concrete Foundation of atleast 1 Ft Depth, Painted with Approved Color and Logos and Details of the Project Provided on Site. As per Directions of Engineer In Charge.	Job.	1.00		
Total Cost PKRs.					

### Summary of Cost -Rehabilitation of DWSS-Killi Shahkarez Habibullah

Sr. No.	Description	Amount Rs.
1	Electric Pump Machinery	
2	Rehabilitation of Pump House	
<b>TOTAL (Rs.)</b>		

Total Amount :) \_\_\_\_\_

Contractor' Signatures & Seal \_\_\_\_\_

QUANTITY / ANY OTHER DISCOUNTS (PLEASE SPECIFY):

THE PROPOSED DISCOUNTS WILL BECOME AN INTEGRAL PART OF YOUR BID SUBMISSION

PAYMENT TERMS: ACCEPTANCE OF PAYMENT TERMS (I.E., 30 DAYS NET FROM RECEIPT OF DOCUMENTS)

YES: \_\_\_\_\_ NO: \_\_\_\_\_

BIDDERS NAME AND SIGNATURE: \_\_\_\_\_

### RCW # 9 DWSS Killay Zangi Wal Electric Pump Machinery

### Rehabilitation of DWSS Scheme Rehabilitation of -Rehabilitation of DWSS-New Killay Zangi wal District Loralai.

Sr. No.	Items Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Providing and Installation of 3-Phased Electric Power Operating Motor with Submersible Pump <b>35 HP</b> as per guidelines of PHE Department and instructions of site engineer, with maximum router capacity, rewind-able (Copper Winding) with maximum discharged capacity 100 -300 Gallon per minute with 3 - 4" diameter column pipes. along with complete parts e.g complete in all respects as per Directions of Engineer incharge	Set	1.00		

2	Providing & fixing of Hardcore service cable (wapda) 3-phase electric power cable high quality from main source to Pump house connecting to fixing further switchboard & accessories main operation to operating a 35HP Sumersible motor pump.	Rft	50.00		
3	Supply and installation 35 (sq.mm), 3-core (3x35 sq.mm), PVC insulated and sheathed multicore, 600/1000V cable with copper conductor directly clipped on surface of wall, column, beam ceiling etc for power wiring.	Rft	420.00		
4	Providing & Fixing of Mounting type distribution board fabricated from 16 SWG steel sheet, powder coated with approved color 2'x2'x1.5' Angle Iron Supports of 4 ft Length and section of 1.5"x1.5"x3mm Thickness, with Electric Starter, breaker switch with 3 phase wiring installed and fitted on board of approved equivalent (similar specifications), complete in all respects as per Directions of Engineer incharge	Nos	1.00		
5	Providing & Fixing 3" inches (75 mm) inner dia G.I. Colum pipe ILL Karachi 12 gauge or equivalent as per guidelines of PHED department and instructions of site engineer with proper joints welding, cutting, testing and disinfecting through (Cable Ties, Nut Bolts & Rubber Gaskets etc.)	Rft	400.00		
6	Providing & Fixing of Good Quality of Iron Garder (4inch x 8 inch) or (200 mm X 100 mm) of unit weight 3.5 kg/ft for Top of the Pump room as per the instructions of site Engineer	Rft	12.00		
7	Providing and fixing Gate valve (screwed) 6" dia of approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
8	Providing and fixing of 6" dia Non-returned valve with proper fixing installation approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
<b>Total Cost PKRs.</b>					

## Rehabilitation of Pump House

### Rehabilitation & Renovtion of Pump House Rehabilitation of -Rehabilitation of DWSS-New Killay Zangi wal District Loralai.

Sr. No.	Item Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Providing Plan Cement Plaster 0.5" thick internal, External and for under the roof at pump house using CSM ratio (1:4) including making edges, corners with proper curing.	Sft	336		

2	Supplying and fixing of MS iron Window size(4ft x 4ft) with fixing (1.5"x1.5") angle iron and using of 18SWG iron sheet and 2 or 3 coats final painted with fixing MAP, Hinges for fixing in walls 04 No if require, Cross weld with angle iron or as per standard specifications approved by engineer in charge.	Nos.	2.00		
3	Painting with three coats of weather-resistant paint, including wall puttying of all outdoor walls, indoor walls, and ceiling surfaces of pump house, using approved paints and colour pigments. Complete in all respects as per the approval and direction of the Engineer in Charge.	Sft	1380.00		
5	Painting of Logos of Muslim Aid Pakistan and Charity Water on the Surfaces, identified and directed by Engineer In Charge with the standard colors and specifications, logos 02 nos of size (2'ft x 2'ft) at outer side of pump house and 03 no of logos size (1'ft x 1'ft) at walls and wash and points with writing santance	Job.	1.00		
6	Providing and Installing High Quality Visibility Sign Board of 3'x4' Dimensions on 18 SWG Iron Sheet including G.I Pipes frame for Supporting Purpose of 1" Dia Placed at the Height of Atleast 4.5 Ft Above the Ground with Strong Concrete Foundation of atleast 1 Ft Depth, Painted with Approved Color and Logos and Details of the Project Provided on Site. As per Directions of Engineer In Charge.	Job.	1.00		
				<b>Total Cost PKRs.</b>	

### Summary of Cost Rehabilitation of -Rehabilitation of DWSS-New Killay Zangi wal

Sr. No.	Description	Amount Rs.
1	Electric Pump Machinery	
2	Rehabilitation of Pump House	
<b>TOTAL (Rs.)</b>		

Total Amount :) \_\_\_\_\_

Contractor' Signatures & Seal \_\_\_\_\_

QUANTITY / ANY OTHER DISCOUNTS (PLEASE SPECIFY):

THE PROPOSED DISCOUNTS WILL BECOME AN INTEGRAL PART OF YOUR BID SUBMISSION

PAYMENT TERMS: ACCEPTANCE OF PAYMENT TERMS (I.E., 30 DAYS NET FROM RECEIPT OF DOCUMENTS)

YES: \_\_\_\_\_ NO: \_\_\_\_\_

BIDDERS NAME AND SIGNATURE: \_\_\_\_\_

<b>RCW # 10 Phari Source 1 Electric Pump Machinery</b>					
<b>Rehabilitation of DWSS Scheme Rehabilitation of DWSS-Phari Source 1 District Loralai.</b>					
Sr. No.	Items Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Providing and Installation of 3-Phased Electric Power Operating Motor with Submersible Pump <b>35 HP</b> as per guidelines of PHE Department and instructions of site engineer, with maximum router capacity, rewind-able (Copper Winding) with maximum discharged capacity 100 -300 Gallon per minute with 3 - 4" diameter column pipes. along with complete parts e.g complete in all respects as per Directions of Engineer incharge	Set	1.00		
2	Providing & fixing of Hardcore service cable (wapda) 3-phase electric power cable high quality from main source to Pump house connecting to fixing further switchboard & accessories main operation to operating a 35HP Sumersible motor pump.	Rft	50.00		
3	Supply and installation 35 (sq.mm), 3-core (3x35 sq.mm), PVC insulated and sheathed multicore, 600/1000V cable with copper conductor directly clipped on surface of wall, column, beam ceiling etc for power wiring.	Rft	410.00		
4	Providing & Fixing of Mounting type distribution board fabricated from 16 SWG steel sheet, powder coated with approved color 2'x2'x1.5' Angle Iron Supports of 4 ft Length and section of 1.5"x1.5"x3mm Thickness, with Eectric Starter, breaker switch with 3 phase wiring installed and fitted on board of approved equivalent (similar specfications), complete in all respects as per Directions of Engineer incharge	Nos	1.00		
5	Providing & Fixing 3" inches (75 mm) inner dia G.I. Colum pipe IIL Karachi 12 gauge or equivalent as per guidelines of PHED department and instructions of site engineer with proper joints welding, cutting, testing and disinfecting through (Cable Ties, Nut Bolts & Rubber Gaskets etc.)	Rft	380.00		
6	Providing & Fixing of Good Quality of Iron Garder (4inch x 8 inch) or (200 mm X 100 mm) of unit weight 3.5 kg/ft for Top of the Pump room as per the instructions of site Engineer	Rft	12.00		
7	Providing and fixing Gate valve (screwed) 6" dia of approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
8	Providing and fixing of 6" dia Non-returned valve with proper fixing installation approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		

Total Cost PKRs.

## Rehabilitation of Pump House

### Rehabilitation & Renovtion of Pump House Rehabilitation of DWSS-Phari Source 1 District Loralai.

Sr. No.	Item Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Providing Plan Cement Plaster 0.5" thick internal, External and for under the roof at pump house using CSM ratio (1:4) including making edges, corners with proper curing.	Sft	576		
2	Supplying and fixing of MS iron Window size(4ft x 4ft) with fixing (1.5"x1.5") angle iron and using of 18SWG iron sheet and 2 or 3 coats final painted with fixing MAP, Hinges for fixing in walls 04 No if require, Cross weld with angle iron or as per standard specifications approved by engineer in charge.	Nos.	3.00		
3	Painting with three coats of weather-resistant paint, including wall puttying of all outdoor walls, indoor walls, and ceiling surfaces of pump house, using approved paints and colour pigments. Complete in all respects as per the approval and direction of the Engineer in Charge.	Sft	1364.00		
4	Painting of Logos of Muslim Aid Pakistan and Charity Water on the Surfaces, identified and directed by Engineer In Charge with the standard colors and specifications, logos 02 nos of size (2'ft x 2'ft) at outer side of pump house and 03 no of logos size (1'ft x 1'ft) at walls and wash and points with writing santance	Job.	1.00		
5	Providing and Installing High Quality Visibility Sign Board of 3'x4' Dimensions on 18 SWG Iron Sheet including G.I Pipes frame for Supporting Purpose of 1" Dia Placed at the Height of Atleast 4.5 Ft Above the Ground with Strong Concrete Foundation of atleast 1 Ft Depth, Painted with Approved Color and Logos and Details of the Project Provided on Site. As per Directions of Engineer In Charge.	Job.	1.00		

	<b>Total Cost PKRs.</b>	
--	-------------------------	--

### Summary of Cost Rehabilitation of DWSS-Phari Source 1

Sr. No.	Description	Amount Rs.
1	Electric Pump Machinery	
2	Rehabilitation of Pump House	
<b>TOTAL (Rs.)</b>		

Total Amount :) \_\_\_\_\_

Contractor' Signatures & Seal \_\_\_\_\_

QUANTITY / ANY OTHER DISCOUNTS (PLEASE SPECIFY):

THE PROPOSED DISCOUNTS WILL BECOME AN INTEGRAL PART OF YOUR BID SUBMISSION

PAYMENT TERMS: ACCEPTANCE OF PAYMENT TERMS (I.E., 30 DAYS NET FROM RECEIPT OF DOCUMENTS)

YES: \_\_\_\_\_ NO: \_\_\_\_\_

BIDDERS NAME AND SIGNATURE: \_\_\_\_\_

### RCW # 11 PHE Office Electric Pump Machinery

### Rehabilitation of DWSS Scheme Rehabilitation of DWSS-PHE Office District Loralai.

Sr. No.	Items Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Providing and Installation of 3-Phased Electric Power Operating Motor with Submersible Pump <b>30 HP</b> as per guidelines of PHE Department and instructions of site engineer, with maximum router capacity, rewind-able (Copper Winding) with maximum discharged capacity 100 -300 Gallon per minute with 3 - 4" diameter column pipes. along with complete parts e.g complete in all respects as per Directions of Engineer incharge	Set	1.00		



2	Providing & fixing of Hardcore service cable (wapda) 3-phase electric power cable high quality from main source to Pump house connecting to fixing further switchboard & accessories main operation to operating a 30HP Sumersible motor pump.	Rft	50.00		
3	Supply and installation 35 (sq.mm), 3-core (3x35 sq.mm), PVC insulated and sheathed multicore, 600/1000V cable with copper conductor directly clipped on surface of wall, column, beam ceiling etc for power wiring.	Rft	350.00		
4	Providing & Fixing of Mounting type distribution board fabricated from 16 SWG steel sheet, powder coated with approved color 2'x2'x1.5' Angle Iron Supports of 4 ft Length and section of 1.5"x1.5"x3mm Thickness, with Eectric Starter, breaker switch with 3 phase wiring installed and fitted on board of approved equivalent (similar specfications), complete in all respects as per Directions of Engineer incharge	Nos	1.00		
5	Providing & Fixing 3" inches (75 mm) inner dia G.I. Colum pipe IIL Karachi 12 gauge or equivalent as per guidelines of PHED department and instructions of site engineer with proper joints welding, cutting, testing and disinfecting through (Cable Ties, Nut Bolts & Rubber Gaskets etc.)	Rft	330.00		
6	Providing & Fixing of Good Quality of Iron Garder (4inch x 8 inch) or (200 mm X 100 mm) of unit weight 3.5 kg/ft for Top of the Pump room as per the instructions of site Engineer	Rft	12.00		
7	Providing and fixing Gate valve (screwed) 6" dia of approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
8	Providing and fixing of 6" dia Non-returned valve with proper fixing installation approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
<b>Total Cost PKRs.</b>					

## Rehabilitation of Pump House

### Rehabilitation & Renovtion of Pump House Rehabilitation of -DWSS-PHE Office District Loralai.

Sr. No.	Item Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
---------	------------------	------	----------------	-----------------	------------------

1	Providing Plan Cement Plaster 0.5" thick internal, External and for under the roof at pump house using CSM ratio (1:4) including making edges, corners with proper curing. As per instructions of site engineer.	Sft	384		
2	Supplying and fixing of MS iron Window size (4ft x 4ft) with fixing (1.5"x1.5") angle iron and using of 18 SWG iron sheet and 2 or 3 coats final painted with fixing MAP, Hinges for fixing in walls 04 No if require, Cross weld with angle iron or as per standard specifications approved by engineer in charge.	Nos.	1.00		
3	Painting with three coats of weather-resistant paint, including wall puttying of all outdoor walls, indoor walls, and ceiling surfaces of pump house, using approved paints and colour pigments. Complete in all respects as per the approval and direction of the Engineer in Charge.	Sft	1396.00		
4	Painting of Logos of Muslim Aid Pakistan and Charity Water on the Surfaces, identified and directed by Engineer In Charge with the standard colors and specifications, logos 02 nos of size (2'ft x 2'ft) at outer side of pump house and 03 no of logos size (1'ft x 1'ft) at walls and wash and points with writing santance	Job.	1.00		
5	Providing and Installing High Quality Visibility Sign Board of 3'x4' Dimensions on 18 SWG Iron Sheet including G.I Pipes frame for Supporting Purpose of 1" Dia (14 SWG) Placed at the Height of Atleast 4.5 Ft Above the Ground with Strong Concrete Foundation of atleast 1.5 Ft Depth, Painted with Approved Color and Logos and Details of the Project Provided on Site. As per Directions of Engineer In Charge.	Job.	1.00		
<b>Total Cost PKRs.</b>					

### Summary of Cost Rehabilitation of -DWSS-PHE Office

Sr. No.	Description	Amount Rs.
1	Electric Pump Machinery	
2	Rehabilitation of Pump House	
<b>TOTAL (Rs.)</b>		

Total Amount :) \_\_\_\_\_

Contractor' Signatures & Seal \_\_\_\_\_

QUANTITY / ANY OTHER DISCOUNTS (PLEASE SPECIFY):

THE PROPOSED DISCOUNTS WILL BECOME AN INTEGRAL PART OF YOUR BID SUBMISSION

PAYMENT TERMS: ACCEPTANCE OF PAYMENT TERMS (I.E., 30 DAYS NET FROM RECEIPT OF DOCUMENTS)

YES: \_\_\_\_\_ NO: \_\_\_\_\_

BIDDERS NAME AND SIGNATURE: \_\_\_\_\_

<b>RCW # 12 Session Court Colony Electric Pump Machinery</b>					
<b>Rehabilitation of DWSS Scheme Rehabilitation of DWSS-Session Court Colony District Loralai.</b>					
<b>Sr. No.</b>	<b>Items Description</b>	<b>Unit</b>	<b>Total Quantity</b>	<b>Unit Rate (PKR)</b>	<b>Total Cost (PKR)</b>
1	Providing and Installation of 3-Phased Electric Power Operating Motor with Submersible Pump <b>30 HP</b> as per guidelines of PHE Department and instructions of site engineer, with maximum router capacity, rewind-able (Copper Winding) with maximum discharged capacity 100 -300 Gallon per minute with 3 - 4" diameter column pipes. along with complete parts e.g complete in all respects as per Directions of Engineer incharge	Set	1.00		
2	Providing & fixing of Hardcore service cable (wapda) 3-phase electric power cable high quality from main source to Pump house connecting to fixing further switchboard & accessories main operation to operating a 30HP Sumersible motor pump.	Rft	50.00		
3	Supply and installation 35 (sq.mm), 3-core (3x35 sq.mm), PVC insulated and sheathed multicore, 600/1000V cable with copper conductor directly clipped on surface of wall, column, beam ceiling etc for power wiring.	Rft	410.00		
4	Providing & Fixing of Mounting type distribution board fabricated from 16 SWG steel sheet, powder coated with approved color 2'x2'x1.5' Angle Iron Supports of 4 ft Length and section of 1.5"x1.5"x3mm Thickness, with Eectric Starter, breaker switch with 3 phase wiring installed and fitted on board of approved equivalent (similar specifcations), complete in all respects as per Directions of Engineer incharge	Nos	1.00		
5	Providing & Fixing 3" inches (75 mm) inner dia G.I. Colum pipe IIL Karachi 12 gauge or equivalent as per guidelines of PHED department and instructions of site engineer with proper joints welding, cutting, testing and disinfecting through (Cable Ties, Nut Bolts & Rubber Gaskets etc.)	Rft	370.00		
6	Providing & Fixing of Good Quality of Iron Garder (4inch x 8 inch) or (200 mm X 100 mm) of unit weight 3.5 kg/ft for Top of the Pump room as per the instructions of site Engineer	Rft	12.00		

7	Providing and fixing Gate valve (screwed) 6" dia of approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
8	Providing and fixing of 6" dia Non-returned valve with proper fixing installation approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
<b>Total Cost PKRs.</b>					

## Rehabilitation of Pump House

### Rehabilitation & Renovation of Pump House Rehabilitation of DWSS-Session Court Colony District Loralai.

Sr. No	Item Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Providing Plain Cement Plaster 0.5" thick internal, External and for under the roof at pump house using CSM ratio (1:4) including making edges, corners with proper curing. As per instructions of site engineer.	Sft	364		
2	Supplying and fixing of MS iron Window size (4ft x 4ft) with fixing (1.5"x1.5") angle iron and using of 18 SWG iron sheet and 2 or 3 coats final painted with fixing MAP, Hinges for fixing in walls 04 Nos if require, Cross weld with angle iron or as per standard specifications approved by engineer in charge.	Nos.	1.00		
3	Painting with three coats of weather-resistant paint, including wall putting of all outdoor walls, indoor walls, and ceiling surfaces of pump house, using approved paints and colour pigments. Complete in all respects as per the approval and direction of the Engineer in Charge.	Sft	1300.00		
4	Painting of Logos of Muslim Aid Pakistan and Charity Water on the Surfaces, identified and directed by Engineer In Charge with the standard colors and specifications, logos 02 nos of size (2'ft x 2'ft) at outer side of pump house and 03 no of logos size (1'ft x 1'ft) at walls and wash and points with writing substance	Job.	1.00		
5	Providing and Installing High Quality Visibility Sign Board of 3'x4' Dimensions on 18 SWG Iron Sheet including G.I Pipes frame for Supporting Purpose of 1" Dia (14 SWG) Placed at the Height of Atleast 4.5 Ft Above the Ground with Strong Concrete Foundation of atleast 1.5 Ft Depth, Painted with Approved Color and Logos and Details of the Project Provided on Site. As per Directions of Engineer In Charge.	Job.	1.00		
<b>Total Cost PKRs.</b>					

**Summary of Cost Rehabilitation of -DWSS-Session Court Colony**

Sr. No.	Description	Amount Rs.
1	Electric Pump Machinery	
2	Rehabilitation of Pump House	
<b>TOTAL (Rs.)</b>		

Total Amount :) \_\_\_\_\_

Contractor' Signatures & Seal\_\_\_\_\_

QUANTITY / ANY OTHER DISCOUNTS (PLEASE SPECIFY):

THE PROPOSED DISCOUNTS WILL BECOME AN INTEGRAL PART OF YOUR BID SUBMISSION

PAYMENT TERMS: ACCEPTANCE OF PAYMENT TERMS (I.E., 30 DAYS NET FROM RECEIPT OF DOCUMENTS)

YES: \_\_\_\_\_ NO: \_\_\_\_\_

BIDDERS NAME AND SIGNATURE: \_\_\_\_\_

**RCW # 13 Ward # 24 Lashti  
Electric Pump Machinery**

**Rehabilitation of DWSS Scheme Rehabilitation of -Rehabilitation of DWSS-Ward No.24 Lashti District Loralai.**

Sr. No.	Items Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Providing and Installation of 3-Phased Electric Power Operating Motor with Submersible Pump <b>30 HP</b> as per guidelines of PHE Department and instructions of site engineer, with maximum router capacity, rewind-able (Copper Winding) with maximum discharged capacity 100 -300 Gallon per minute with 3 - 4" diameter column pipes. along with complete parts e.g complete in all respects as per Directions of Engineer incharge	Set	1.00		

2	Providing & fixing of Hardcore service cable (wapda) 3-phase electric power cable high quality from main source to Pump house connecting to fixing further switchboard & accessories main operation to operating a 30HP Sumersible motor pump.	Rft	50.00		
3	Supply and installation 35 (sq.mm), 3-core (3x35 sq.mm), PVC insulated and sheathed multicore, 600/1000V cable with copper conductor directly clipped on surface of wall, column, beam ceiling etc for power wiring.	Rft	350.00		
4	Providing & Fixing of Mounting type distribution board fabricated from 16 SWG steel sheet, powder coated with approved color 2'x2'x1.5' Angle Iron Supports of 4 ft Length and section of 1.5"x1.5"x3mm Thickness, with Eectric Starter, breaker switch with 3 phase wiring installed and fitted on board of approved equivalent (similar specfications), complete in all respects as per Directions of Engineer incharge	Nos	1.00		
5	Providing & Fixing 3" inches (75 mm) inner dia G.I. Colum pipe IIL Karachi 12 gauge or equivalent as per guidelines of PHED department and instructions of site engineer with proper joints welding, cutting, testing and disinfecting through (Cable Ties, Nut Bolts & Rubber Gaskets etc.)	Rft	330.00		
6	Providing & Fixing of Good Quality of Iron Garder (4inch x 8 inch) or (200 mm X 100 mm) of unit weight 3.5 kg/ft for Top of the Pump room as per the instructions of site Engineer	Rft	12.00		
7	Providing and fixing Gate valve (screwed) 6" dia of approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
8	Providing and fixing of 6" dia Non-returned valve with proper fixing installation approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
<b>Total Cost PKRs.</b>					

## Rehabilitation of Pump House

### Rehabilitation & Renovtion of Pump House Rehabilitation of -Rehabilitation of DWSS-Ward No.24 Lashti District Loralai.

Sr. No.	Item Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
---------	------------------	------	----------------	-----------------	------------------

1	Providing Plan Cement Plaster 0.5" thick internal, External and for under the roof at pump house using CSM ratio (1:4) including making edges, corners with proper curing. As per instructions of site engineer.	Sft	360		
2	Supplying and fixing of MS iron Window size (4ft x 4ft) with fixing (1.5"x1.5") angle iron and using of 18 SWG iron sheet and 2 or 3 coats final painted with fixing MAP, Hinges for fixing in walls 04 No if require, Cross weld with angle iron or as per standard specifications approved by engineer in charge.	Nos.	2.00		
3	Painting with three coats of weather-resistant paint, including wall puttying of all outdoor walls, indoor walls, and ceiling surfaces of pump house, using approved paints and colour pigments. Complete in all respects as per the approval and direction of the Engineer in Charge.	Sft	1284.00		
4	Painting of Logos of Muslim Aid Pakistan and Charity Water on the Surfaces, identified and directed by Engineer In Charge with the standard colors and specifications, logos 02 nos of size (2'ft x 2'ft) at outer side of pump house and 03 no of logos size (1'ft x 1'ft) at walls and wash and points with writing santance	Job.	1.00		
5	Providing and Installing High Quality Visibility Sign Board of 3'x4' Dimensions on 18 SWG Iron Sheet including G.I Pipes frame for Supporting Purpose of 1" Dia (14 SWG) Placed at the Height of Atleast 4.5 Ft Above the Ground with Strong Concrete Foundation of atleast 1.5 Ft Depth, Painted with Approved Color and Logos and Details of the Project Provided on Site. As per Directions of Engineer In Charge.	Job.	1.00		
				<b>Total Cost PKRs.</b>	

### Summary of Cost Rehabilitation of -Rehabilitation of DWSS-Ward No.24 Lashti

Sr. No.	Description	Amount Rs.
1	Electric Pump Machinery	
2	Rehabilitation of Pump House	
<b>TOTAL (Rs.)</b>		

Total Amount :) \_\_\_\_\_

Contractor' Signatures & Seal \_\_\_\_\_

QUANTITY / ANY OTHER DISCOUNTS (PLEASE SPECIFY):

THE PROPOSED DISCOUNTS WILL BECOME AN INTEGRAL PART OF YOUR BID SUBMISSION

PAYMENT TERMS: ACCEPTANCE OF PAYMENT TERMS (I.E., 30 DAYS NET FROM RECEIPT OF DOCUMENTS)

YES: \_\_\_\_\_ NO: \_\_\_\_\_

BIDDERS NAME AND SIGNATURE: \_\_\_\_\_

**RCW # 14 Killi Shina Lashti  
Solar Submersible**

**Rehabilitation of DWSS Killi Shina Lashti Source 1 District Loralai.**

Sr. No.	Items Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Providing and Installation of 3-Phased Electric Power Operating Motor with Submersible Pump <b>25 HP</b> as per guidelines of PHE Department and instructions of site engineer, with maximum router capacity, rewind-able (Copper Winding) with maximum discharged capacity 150 -350 Gallon per minute with 3 - 4" diameter column pipes. along with complete parts e.g complete in all respects as per Directions of Engineer incharge	Set	1.00		
2	Supply and Installation of Solar energy-based AC /DC Variable Frequency Drive (VFD) inverter 30-37KW of (Invt or equivalent varient) as per instructions of site engineer for the operating above submersible moter pump complete in all respects.	Nos	1.00		
3	Supply and installation DC cable 6 sq.mm four-core cable with copper conductor PVC insulated and sheathed multicore, cable with copper conductor directly clipped on surface of wall, column, beam ceilling etc for power wiring as suggested by PHE and instructions of site engineer	Rft	350.00		
4	Providing & Fixing of Mounting type distribution board fabricated from 16 SWG steel sheet, powder coated with approved color 2'x2'x1.5' Angle Iron Supports of 4 ft Length and section of 1.5"x1.5"x3mm Thickness, with Eectric Starter, breaker switch with 3 phase wiring installed and fitted on board of approved equivalent (similar specifcations), complete in all respects as per Directions of Engineer incharge	Nos	1.00		



5	Providing & Fixing 3" inches (75 mm) inner dia G.I. Colum pipe IIL Karachi 12 gauge or equivalent as per guidelines of PHED department and instructions of site engineer with proper joints welding, cutting, testing and disinfecting through (Cable Ties, Nut Bolts & Rubber Gaskets etc.)	Rft	300.00		
6	Providing & Fixing of Good Quality of Iron Garder (4inch x 8 inch) or (200 mm X 100 mm) of unit weight 3.5 kg/ft for Top of the Pump room as per the instructions of site Engineer	Rft	12.00		
7	Providing and fixing Gate valve (screwed) 6" dia of approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
8	Providing and fixing of 6" dia Non-returned valve with proper fixing installation approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
9	Supply and fixing of good quality bib cock 1/2" dia approved quality complete in all respects as per Directions of Engineer incharge	Nos	9.00		
Total Cost PKRs.					

## Rehabilitation of Pump House

### Rehabilitation & Renovtion of Pump House Rehabilitation of - DWSS Killi Shina Lashti Source 1 District Loralai.

Sr. No.	Item Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Providing Plan Cement Plaster 0.5" thick internal, External and for under the roof at pump house using CSM ratio (1:4) including making edges, corners with proper curing. As per instructions of site engineer.	Sft	336		
2	Supplying and fixing of MS iron Window size(4ft x 4ft) with fixing (1.5"x1.5") angle iron and using of 18 SWG iron sheet and 2 or 3 coats final painted with fixing MAP, Hinges for fixing in walls 04 No if require, Cross weld with angle iron or as per standard specifications approved by engineer in charge.	Nos.	2.00		
3	Painting with three coats of weather-resistant paint, including wall puttying of all outdoor walls, indoor walls, and ceiling surfaces of pump house, using approved paints and colour pigments. Complete	Sft	1380.00		

	in all respects as per the approval and direction of the Engineer in Charge.				
4	Painting of Logos of Muslim Aid Pakistan and Charity Water on the Surfaces, identified and directed by Engineer In Charge with the standard colors and specifications, logos 02 nos of size (2'ft x 2'ft) at outer side of pump house and 03 no of logos size (1'ft x 1'ft) at walls and wash and points with writing sance	Job.	1.00		
5	Providing and Installing High Quality Visibility Sign Board of 3'x4' Dimensions on 18 SWG Iron Sheet including G.I Pipes frame for Supporting Purpose of 1" Dia (14 SWG) Placed at the Height of Atleast 4.5 Ft Above the Ground with Strong Concrete Foundation of atleast 1.5 Ft Depth, Painted with Approved Color and Logos and Details of the Project Provided on Site. As per Directions of Engineer In Charge.	Job.	1.00		
	<b>Total Cost PKRs.</b>				

### Summary of Cost Rehabilitation of -Rehabilitation of DWSS Killi Shina Lashti Source 1

Sr. No.	Description	Amount Rs.
1	Pumping Machinery	
2	Rehabilitation of Pump House	
<b>TOTAL (Rs.)</b>		

Total Amount :) \_\_\_\_\_

Contractor' Signatures & Seal \_\_\_\_\_

QUANTITY / ANY OTHER DISCOUNTS (PLEASE SPECIFY):

THE PROPOSED DISCOUNTS WILL BECOME AN INTEGRAL PART OF YOUR BID SUBMISSION

PAYMENT TERMS: ACCEPTANCE OF PAYMENT TERMS (I.E., 30 DAYS NET FROM RECEIPT OF DOCUMENTS)

YES: \_\_\_\_\_ NO: \_\_\_\_\_

BIDDERS NAME AND SIGNATURE: \_\_\_\_\_

**RCW # 15 Nasarabad # 1  
Electric Pump Machinery**

**Rehabilitation of DWSS Scheme Rehabilitation of -Rehabilitation of DWSS-New  
Nasarabad No 1 District Loralai.**

Sr. No.	Items Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)
1	Providing and Installation of 3-Phased Electric Power Operating Motor with Submersible Pump <b>30 HP</b> as per guidelines of PHE Department and instructions of site engineer, with maximum router capacity, rewind-able (Copper Winding) with maximum discharged capacity 100 -300 Gallon per minute with 3 - 4" diameter column pipes. along with complete parts e.g complete in all respects as per Directions of Engineer incharge	Set	1.00		
2	Providing & fixing of Hardcore service cable (wapda) 3-phase electric power cable high quality from main source to Pump house connecting to fixing further switchboard & accessories main operation to operating a 30HP Sumersible motor pump.	Rft	40.00		
3	Supply and installation 35 (sq.mm), 3-core (3x35 sq.mm), PVC insulated and sheathed multicore, 600/1000V cable with copper conductor directly clipped on surface of wall, column, beam ceiling etc for power wiring.	Rft	430.00		
4	Providing & Fixing of Mounting type distribution board fabricated from 16 SWG steel sheet, powder coated with approved color 2'x2'x1.5' Angle Iron Supports of 4 ft Length and section of 1.5"x1.5"x3mm Thickness, with Electric Starter, breaker switch with 3 phase wiring installed and fitted on board of approved equivalent (similar specifications), complete in all respects as per Directions of Engineer incharge	Nos	1.00		
5	Providing & Fixing 3" inches (75 mm) inner dia G.I. Colum pipe ILL Karachi 12 gauge or equivalent as per guidelines of PHED department and instructions of site engineer with proper joints welding, cutting, testing and disinfecting through (Cable Ties, Nut Bolts & Rubber Gaskets etc.)	Rft	400.00		
6	Providing & Fixing of Good Quality of Iron Garder (4inch x 8 inch) or (200 mm X 100 mm) of unit weight 3.5 kg/ft for Top of the Pump room as per the instructions of site Engineer	Rft	12.00		
7	Providing and fixing Gate valve (screwed) 6" dia of approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		
8	Providing and fixing of 6" dia Non-returned valve with proper fixing installation approved quality complete in all respects as per Directions of Engineer incharge	Nos	1.00		

	<b>Total Cost PKRs.</b>	
--	-------------------------	--

## Rehabilitation of Pump House

### Rehabilitation & Renovtion of Pump House Rehabilitation of -DWSS-New Nasarabad No 1 District Loralai.

Sr. No.	Item Description	Unit	Total Quantity	Unit Rate (PKR)	Total Cost (PKR)	Remarks
1	Providing Plan Cement Plaster 0.5" thick internal, External and for under the roof at pump house using CSM ratio (1:4) including making edges, corners with proper curing. As per instructions of site engineer.	Sft	448			
2	Supplying and fixing of MS iron Window size(4ft x 4ft) with fixing (1.5"x1.5") angle iron and using of 18 SWG iron sheet and 2 or 3 coats final painted with fixing MAP, Hinges for fixing in walls 04 No if require, Cross weld with angle iron or as per standard specifications approved by engineer in charge.	Nos.	1.00			
3	Painting with three coats of weather-resistant paint, including wall puttying of all outdoor walls, indoor walls, and ceiling surfaces of pump house, using approved paints and colour pigments. Complete in all respects as per the approval and direction of the Engineer in Charge.	Sft	1396.00			
4	Painting of Logos of Muslim Aid Pakistan and Charity Water on the Surfaces, identified and directed by Engineer In Charge with the standard colors and specifications, logos 02 nos of size (2'ft x 2'ft) at outer side of pump house and 03 no of logos size (1'ft x 1'ft) at walls and wash and points with writing santance	Job.	1.00			
5	Providing and Installing High Quality Visibility Sign Board of 3'x4' Dimensions on 18 SWG Iron Sheet including G.I Pipes frame for Supporting Purpose of 1" Dia (14 SWG) Placed at the Height of Atleast 4.5 Ft Above the Ground with Strong Concrete Foundation of atleast 1.5 Ft Depth, Painted with Approved Color and Logos and Details of the Project Provided on Site. As per Directions of Engineer In Charge.	Job.	1.00			
	<b>Total Cost PKRs.</b>					

## Summary of Cost Rehabilitation of -DWSS-New Nasarabad No 1

Sr. No.	Description	Amount Rs.
1	Electric Pump Machinery	
2	Rehabilitation of Pump House	
TOTAL (Rs.)		

### (General Terms and Conditions for Purchase/supply of Goods/ Construction/rehabilitation of **15 Nos DWSS SCHEMES**

#### General Conditions for the Procurement of Construction of **15 # DWSS SCHEMES**.

#### 1. ACCEPTANCE OF THE PURCHASE ORDER

This Purchase Order may only be accepted by the supplier/Contractor signing and returning an acknowledgment copy of it or by timely delivery of the goods / Construction/Rehabilitation of **15 # DWSS SCHEMES** in accordance with the terms of the purchase order as herein specified. Acceptance of this Purchase Order shall affect a contract between the Parties under which the rights and Obligations of the parties shall be governed solely by the terms and conditions of the purchase order including these General Conditions. No additional or inconsistent provision proposed by the supplier /Contractor shall bind **Muslim Aid (MAP)** unless agreed to in writing by a duly authorized **Muslim Aid (MAP)** official.

#### 2. LEGAL STATUS

The supplier / Contractor shall be considered as having the legal status of an independent contractor vis-à-vis **Muslim Aid (MAP)**. The Supplier / Contractor, its personnel, and sub-contractors shall not be considered in any respect as being the employees of **Muslim Aid (MAP)**. The supplier / Contractor shall be fully responsible for all work and services performed by its employees and for all acts and omissions of such employees.

#### 3. SOURCE OF INSTRUCTION

The supplier / Contractor shall neither seek nor accept instructions from any authority external to **Muslim Aid (MAP)** in connection with the performance under this contract. The Supplier / Contractor shall refrain from any action that may adversely affect **Muslim Aid (MAP)** and shall fulfill its commitments with the fullest regard to the interests of **Muslim Aid (MAP)**.

#### 4. ANTI-PERSONNEL MINES

The supplier / Contractor guarantees that it is not engaged in the sale or manufacture, either directly or indirectly, of anti-personnel mines or any components produced primarily for the operation thereof. Any breach of this representation and warranty shall entitle **Muslim Aid (MAP)** to terminate this Purchase Order immediately upon notice to the supplier / Contractor, at no cost to **Muslim Aid (MAP)**.

#### 5. CHILD LABOUR

The supplier / Contractor represents and warrants that neither it, nor any of its suppliers, is engaged in any practice inconsistent with the rights outlined in the Convention on the Rights of the Child, including Article 32 thereof, which, *inter alia*, requires that a child shall be protected from performing any work that is likely to be hazardous or to interfere with the child's education, or to be harmful to the child's health and physical, mental, spiritual, moral or social development. Any breach of this representation and warranty shall entitle **Muslim Aid (MAP)** to terminate this Purchase Order immediately upon to the supplier, at no cost to **Muslim Aid (MAP)**.

#### 7. SUB-CONTRACTING

In the event the Supplier / Contractor require the services of a sub-contractor, the supplier / Contractor shall obtain the prior written approval of **Muslim Aid (MAP)** for all sub-contractors. The supplier / Contractor shall be fully responsible for all work

and services performed by its sub-contractors and suppliers and for all acts and/or omissions of such sub-contractors and supplier and their personnel. The approval of **Muslim Aid (MAP)** of a sub-contractor shall not relieve the Supplier / Contractor of any of its obligations under this Purchase Order. The terms of any sub-contract shall be subject to and conform to the provision of this Order.

## **8. ASSIGNMENTS**

The supplier / Contractor shall not assign, transfer, pledge, or make other disposition of this Order or any part thereof or of any of the supplier's / Contractor rights, claims, or obligations under this Order except with the prior written consent of **Initiative of Change (MAP)**.

## **9. OFFICIALS NOT TO BENEFIT**

The supplier / Contractor represents and warrants that no official of Muslim Aid (MAP) has been, or shall be, offered by the Supplier / Contractor any direct or indirect benefit arising from this order or the award thereof. The supplier / Contractor agree that a breach of this provision is breach of an essential term of this Order.

## **10. ENCUMBRANCES/LIENS**

The supplier / Contractor shall not cause or permit any lien, attachment or other encumbrance by any person or entity to be placed or to remain in any public office or with Muslim Aid (MAP) against any monies due or to become due for any work done or materials furnished under this contract, or by reason of any other claim or demand against the Supplier / Contractor.

## **11. EXPORT LICENCE**

The order is subject to the obtaining of any export license or other government authorization that may be required. It shall be the responsibility of the Supplier / Contractor to obtain such license or authorization. Should the supplier / Contractor encounter difficulties in obtaining the required export license or governmental authorization, it shall immediately bring this to the attention of Muslim Aid (MAP). Muslim Aid (MAP) will, at its discretion, use its best endeavors to assist.

## **12. WARRANTY**

The supplier / Contractor warrants the material, construction, including finishing under this Order conform to the specification of the Order and is free from damage and defects in workmanship or materials. This warranty is without prejudice to any further guarantees that the Supplier / Contractor provides to purchasers. Such guarantees shall apply to the construction subject to this Order.

## **13. REJECTION**

Under the Order, Muslim Aid (MAP) shall have the right to reject the material or any part thereof if they do not conform to specifications.

## **14. INSPECTION**

Muslim Aid (MAP) or its duly accredited representative shall have the right to inspect the material / Construction work ordered for under this Order at Supplier's stores, during manufacture, in the port or places of shipment, and the Supplier shall provide all facilities for such inspection.

## **15. OVERRIDING CLAUSE**

In the event of any conflict or inconsistencies between these-General Terms and Conditions for construction or any other document which forms part of the purchase these conditions shall prevail except where they have been amended (by specific reference to the relevant clause and paragraph of these Conditions) as provided for herein.

## **16. FORCE MAJEURE: OTHER CHANGES IN CONDITIONS**

In the event of as soon as possible after the occurrence of any cause constituting force majeure, the Supplier shall give notice and full particulars in writing to Muslim Aid (MAP) of such occurrence or change if the Supplier / Contractor is hereby rendered unable.

Wholly or in part, to perform its obligations and meet its responsibilities under this Order. The Supplier / Contractor shall also notify Muslim Aid (MAP) of any other changes in conditions or the occurrence of any even which interferes or threatens to interfere with its performance of this purchase Order. On receipt of the notice required under this Article, Muslim Aid (MAP) shall take such action as, in its sole discretion; it considers to be appropriate or necessary in the circumstances, including the granting to the Supplier of a reasonable extension of time in which to perform its obligations under this Purchase Order.

If the Supplier / Contractor is rendered permanently unable, wholly or in part, by reason of force majeure to perform its obligations and meet its responsibilities under this Order, **Muslim Aid Pakistan (MAP)** shall have the right to suspend or terminate this Purchase Order on the same terms and conditions as are provided for in Article 18, "Termination", except that the period of notice shall be seven (7) days instead of thirty (30) days.

Force majeure as used in this provision means acts of God, war (whether declared or not), invasion, revolution, insurrection, or other acts of similar nature or force.

Notwithstanding anything to the contrary in this Order, the Supplier / Contractor recognizes that the work and services will be performed under harsh or hostile conditions caused by civil unrest. Consequently, delays or failure to perform caused by events arising out of or in connection with, such civil unrest shall not, in and to itself, constitute force majeure under this Order.

## **17. DISPUTES – ARBITRATION**

**Amicable Settlement** the Parties shall use their best efforts to settle amicably any dispute, controversy or claim arising out of this Order or the breach, termination or invalidity thereof. Where the parties wish to seek such an amicable settlement through conciliation, the conciliation shall take place.

## **18. TERMINATION OF PURCHASE ORDER**

In the case of failure by the Supplier / Contractor to fulfill its obligations under the terms and conditions of the Order including but not limited to failure to obtain necessary export licenses, or failure or refusal to make delivery of all or part of the goods by the agreed delivery date or dates, **Muslim Aid Pakistan (MAP)** may, after giving the Supplier / Contractor reasonable notice to perform without prejudice to any other rights or remedies excess on or more of the following rights.

Procure all or part of the goods from other sources, in which event **Muslim Aid Pakistan (MAP)** may hold the Supplier / Contractor responsible for any excess cost occasioned thereby.

Refuse to accept delivery of all or part of goods.

Cancel this Order without any liability for termination charges or any other liabilities or any kind of **Muslim Aid Pakistan(MAP)**.

**Muslim Aid (MAP)** may terminate forthwith this Order at any time should the mandate or the funding of **Muslim Aid Pakistan (MAP)** be curtailed or terminated in which case the Supplier / Contractor shall be reimbursed by **Muslim Aid Pakistan (MAP)** for all reasonable costs incurred by the Supplier / Contractor prior to receipt of the notice of termination.

## **19. INSOLVENCY AND BANKRUPTCY**

Should the Supplier / Contractor become insolvent or should control of the Supplier / Contractor change by virtue of insolvency, **Muslim Aid Pakistan (MAP)** may without prejudice to any other rights and remedies, terminate this Order by giving the Supplier / Contractor written notice of termination.

Should the Supplier / Contractor be adjudged bankrupt or should the Supplier / Contractor make a general assignment for the benefit its creditors or should a receiver be appointed on account of the Supplier's / Contractor insolvency **Muslim Aid Pakistan (MAP)** may under the terms of this Order.

## **20. PAYMENT INSTRUCTIONS**

**Muslim Aid Pakistan (MAP)** shall on the fulfillment of the Delivery Terms / Completion of work, unless otherwise provided in this Order make payment by cross cheque in the name of the company within thirty days of receipt of the Suppliers / Contractor invoice along with the work done certificate from the Muslim Aid Engineer and copies of any other documentation specified in the Order.

Payment against the invoice referred to above will reflect any discount shown under the payment terms of this Order, provided payment is made within the period required by such payment terms. The payment schedule is below.

## 21. PERFORMANCE SECURITY

A performance bond (or performance security) will be 02% of the contract value. This compensation to Muslim Aid to overcome difficulties that will be caused by non-performance of the contractor such as finding a new contractor to complete the works.

## ANNEXURE D (Vendor Registration Form and Instruction for completion of bid)

### VENDOR REGISTRATION FORM – ANNEX C

#### Section 1: Company Details and General Information

1. Name of Company:	
2. Street Address:	3. P.O. Box and Mailing  <div style="display: flex; justify-content: space-between;"> <span>Postal Code:</span> <span>City</span> </div> <div style="text-align: center; margin-top: 10px;">Country:</div>
4.Tel:	5.Fax:
6.Email:	7. WWW Address:
8. Contact Name and Title:	
9. Email:	
10. Parent Company (Full legal / officially registered company name):	
11. Subsidiaries, Associates - name, city, country (attach a List if necessary):	
12. International Offices/Representation (Countries where the Company has local Offices/Representation):	
13. Type of Business (Mark one	
Corporate/ Limited: <input type="checkbox"/> Partnership: <input type="checkbox"/> Other (specify):	
14. Nature of Business:	
19. Technical Documents available	
Manufacturer: <input type="checkbox"/> Authorized Agent: <input type="checkbox"/> Trader: <input type="checkbox"/> Consulting: <input type="checkbox"/> Other (specify):	
15. Languages where registered: English <input type="checkbox"/> French <input type="checkbox"/> Spanish <input type="checkbox"/> Russian <input type="checkbox"/> Arabi <input type="checkbox"/> Chinese <input type="checkbox"/> Other (specify)	



20. Working Languages:

English ☐      French ☐      Spanish ☐      Russian ☐      Arabic ☐      Chinese ☐      Other (specify)

### Section 2: Banking Information

- |  |                                       |
|--|---------------------------------------|
| 21. Bank   | 22. Branch Name:                      |
| 23. Branch Address:  | 24. Tel. number:                      |
| 25. Fax number:  |                                       |
| 26. Bank Account Number:   | 27. Account Name:                     |
| 28. Account currency:  | 29. Swift/Bank Identifier Code (BIC): |
| 30. International Bank Account Number (IBAN):                                      |                                       |
| 31. Routing Bank details (if applicable): full details to be provided as per above |                                       |

### Section 3: Technical Capability and Information on Goods / Services Offered

32. Do you also have a Certificate (e.g. ISO 9000 or equivalent) (please provide a Copy of your latest Certificate):

Yes ☐      No ☐

34. List below up to a maximum of ten (10) of your core Goods/Services offered:

[illegible]

#### Section 4: Experience

35. Annual Value of Total Sales for the last 2

Yea : Yea PK

36. Annual Value of Export Sales for the last 3 Years: If

Yea : Yea PK Yea PK

37. If available, please provide a copy of the company's latest annual or audited Financial Report.

Do you have outstanding bankruptcy, judgment or pending legal action that could impair operating as a *going concern*?

Yes ☐ No

#### Section 5: Official not to benefit

38. By signing this VRF, potential vendors confirm that they have read, understood and will comply with the MUSLIM AID

Policy on the “zero tolerance” that strictly prohibits the acceptance of any type of gift and/or hospitality by MUSLIM AID

Yes ☐ No ☐ Any breach of this clause may lead to the termination of all contracts your Company may have with

Name:

Functional Title:

Signature:

Date:

**Please courier the completed BID documents**

**to:**

**Procurement**

**Department Muslim Aid**

**Plot # 1, First Floor, Executive Business**

**Centre, Main Double Road, FECHS,**

**E-11/2, Islamabad**

## INSTRUCTIONS FOR COMPLETION OF BID

**The form should be typewritten in uppercase** and completed clearly and accurately ensuring that all questions are answered. The numbers below correspond to item numbers on the registration form:

### Section 1:

1. Full name of company.
2. Full street address.
3. Full mailing address (including P.O. Box, if any).
4. Telephone number, including correct country and area codes.
5. Fax number, including country and area codes.
6. Email address.
7. WWW Address.
8. Provide name of person (including title) or department to whom correspondence should be addressed.
9. Provide email address of contact person.
10. Full legal name of parent company, if any.
11. Please provide, on a separate sheet, if necessary, names and addresses of all subsidiaries & associates if any.
12. Please provide countries where the company has local offices or representation.
13. Please tick one box. If other; please specify.
14. Please tick one box. If other; please specify. If the company is a manufacturer of some products and a trader/agent of others which they do not manufacture, both boxes should be ticked.
15. Indicate the year in which the organization was established under the name shown in Item 1.
16. Indicate the total number of full-time personnel in the company.
17. Provide the license number under which the company is registered, or the State where it is registered.
18. Provide the VAT number or Tax I.D. of the company.
19. Please tick the boxes for which languages the company is able to provide technical documents. Please specify other languages.
20. Please tick the boxes for which languages the company is able to work in. Please specify other languages.

### Section 2:

21. Full name of bank.
22. Name of branch.
23. Address where branch is located.
24. Telephone number, including correct country and area codes.
25. Fax number, including country and area codes.
26. Number of the company account.
27. Name in which the account is held (**important:** this should be the company name).
28. Currency of the account.
29. Swift code for the account.

International Bank Account Number (IBAN).

30. Should a routing be required for international payments, please provide full details of intermediate bank(s).

**Section 3:** (Documents to be submitted with Bids)

31. Pakistan Engineering Council Certificate (Validity)

32. NTN certificate

33. Statement of work

34. Company Key personal staff for this project

35. Work Plan for the construction of civil work

36. Construction Equipment list

37. Proof of Similar Project executed for last five years (List plus POs)

38. Project in Hand (List plus POs)

39. Financial Statement

40. Affidavit showing that the company is not involved in any litigation.

41. General Reputation (Provide the evidence of completion certificates of at least two previously completed projects of clients)

END





